

10427 Cogdill Road, Suite 500 Knoxville, TN, 37932, US DEA Number: RK0595249

## Certificate of Analysis

Apr 13, 2022 | allitom 917 W 18th St

Chicago, IL, 60607, US



allitom 50mg D8 Gummy

Matrix: Edible



Sample: KN20408009-001 Harvest/Lot ID: 101-520220318

Batch#: 101-520220318

Seed to Sale# N/A Batch Date: 04/01/22

Sample Size Received: 20 units Total Weight/Volume: N/A

Retail Product Size: 3.5 gram ordered: 04/05/22

sampled: 04/05/22

Completed: 04/13/22 Expires: 04/13/23 Sampling Method: SOP Client Method

PASSED

Page 1 of 1



PRODUCT IMAGE

**SAFETY RESULTS** 















Solvents NOT TESTED



NOT TESTED









**PASSED** 



## Cannabinoid

**Total THC** 



D8-THC



**Total Cannabinoids** 

Total Cannabinoids/Gummy: 48.787 mg

	TOTAL THC	TOTAL CBD	TOTAL CBG	CBDV	CBDA	CBGA	CBG	CBD	THCV	CBN	EXO-THC	D9-THC	D8-THC	D10-THC	свс	THCA	D8-THCO	D9-THCO	THC-0
%	0.0118	ND	ND	ND	ND	ND	ND	ND	ND	<0.01	ND	0.0118	1.3821	ND	<0.01	ND	ND	ND	ND
mg/unit	0.413	ND	ND	ND	ND	ND	ND	ND	ND	< 0.35	ND	0.413	48.3735	ND	<0.35	ND	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.002	0.001	0.001	0.001	0.001	0.001	0.002	0.002	0.002
	%	%	96	%	%	%	%	%	%	%	96	%	%	%	96				

Analyzed by

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310. This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is

## Sue Ferguson

State License # n/a ISO Accreditation # 17025:2017



04/13/22

Signature

Signed On